



*The Leader of the stone engraving tools industry*



*In contrast, A series tools are sharper than B series. you could find another angle if you observe carefully and it will influence the effect of engraving*

**A series regular carbide engraving tools**




**Adopt the high performance alloy material, double angle design, very sharp and can be reprocessed easily!**

**Applications: Bluestone, Marble**

Picture	Item No.	Shk	Angle
	A1	6mm	30°
	A2	6mm	45°
	A3	6mm	60°
	A4	6mm	75°
	A5	6mm	90°
	A6	8mm	120°
	A7	8mm	90°



**B series standard carbide engraving tools**



Adopt the high performance alloy material, standard angle design, sharp and can achieve the fine engraving.

Applications: Bluestone, Marble

Picture	Item No.	Shk	Angle
	B1	6mm	30°
	B2	6mm	45°
	B3	6mm	60°
	B4	6mm	75°
	B5	6mm	90°
	B6	8mm	120°
	B7	8mm	90°

The Leader of the stone engraving tools industry




### C series vacuum brazed diamond engraving tools

Adopt the high technology of vacuum brazing, characterized by sharp cutting, high efficiency, good wearing resistance, it's the preferred tool for relief, milling and cutting, and also for engraving letters.

Applications: Marble, Bluestone, Sandstone

Picture	Item No.	Shk	Tip	Cel	Ovl
<p><b>Conical Head Type</b></p>	CZ6.1.5-6(60)	6mm	1.5mm	6mm	60mm
	CZ6.2-6(60)	6mm	2mm	6mm	60mm
	CZ6.2-12(60)	6mm	2mm	12mm	60mm
	CZ6.3-6(60)	6mm	3mm	6mm	60mm
	CZ6.3-12(60)	6mm	3mm	12mm	60mm
	CZ6.3-20(60)	6mm	3mm	20mm	60mm
	CZ6.4P-12(60)	6mm	4mm	12mm	60mm
	CZ8.3-20(60)	8mm	3mm	20mm	60mm
	CZ8.4-20(60)	8mm	4mm	20mm	60mm
	CZ8.5-20(60)	8mm	5mm	20mm	60mm
	CZ8.6-20(60)	8mm	6mm	20mm	60mm
	CZ8.3-30(90)	8mm	3mm	30mm	90mm
	CZ8.4-30(90)	8mm	4mm	30mm	90mm
	CZ8.5-30(90)	8mm	5mm	30mm	90mm
	CZ8.6-30(90)	8mm	6mm	30mm	90mm
	CZ10.3-30(90)	10mm	3mm	30mm	90mm
	CZ10.4-30(90)	10mm	4mm	30mm	90mm
	CZ10.5-30(90)	10mm	5mm	30mm	90mm
	CZ10.6-30(90)	10mm	6mm	30mm	90mm
	CZ10.8-30(90)	10mm	8mm	30mm	90mm
	CZ8.3-40(90)	8mm	3mm	40mm	90mm
	CZ8.3-50(90)	8mm	3mm	50mm	90mm
	CZ10.3-40(90)	10mm	3mm	40mm	90mm
	CZ10.4-40(90)	10mm	4mm	40mm	90mm
	CZ10.6-40(90)	10mm	6mm	40mm	90mm
	CZ10.3-50(90)	10mm	3mm	50mm	90mm
	CZ10.4-50(90)	10mm	4mm	50mm	90mm
	CZ10.5-50(90)	10mm	5mm	50mm	90mm
	CZ10.6-50(90)	10mm	6mm	50mm	90mm
	CZ10.8-50(90)	10mm	8mm	50mm	90mm
	CZ12.3-30(90)	12mm	3mm	30mm	90mm
	CZ12.3-40(90)	12mm	3mm	40mm	90mm
	CZ12.3-50(90)	12mm	3mm	50mm	90mm
	CZ12.4-30(90)	12mm	4mm	30mm	90mm
	CZ12.4-40(90)	12mm	4mm	40mm	90mm
	CZ12.4-50(90)	12mm	4mm	50mm	90mm
CZ12.6-30(90)	12mm	6mm	30mm	90mm	
CZ12.6-40(90)	12mm	6mm	40mm	90mm	
CZ12.6-50(90)	12mm	6mm	50mm	90mm	
CZ12.8-40(90)	12mm	8mm	40mm	90mm	

Picture	Item No.	Shk	Tip	Cel	Ovl
 <p><b>Conical Head Type (columnar relief)</b></p>	CZ10.3-60(120)	10mm	3mm	60mm	120mm
	CZ10.4-60(120)	10mm	4mm	60mm	120mm
	CZ10.6-60(120)	10mm	6mm	60mm	120mm
	CZ10.3-80(120)	10mm	3mm	80mm	120mm
	CZ10.4-80(120)	10mm	4mm	80mm	120mm
	CZ10.6-80(120)	10mm	6mm	80mm	120mm
	CZ10.3-100(160)	10mm	3mm	100mm	160mm
	CZ10.4-100(160)	10mm	4mm	100mm	160mm
	CZ10.6-100(160)	10mm	6mm	100mm	160mm
	CZ12.3-80(120)	12mm	3mm	80mm	120mm
	CZ12.3-100(160)	12mm	3mm	100mm	160mm
	CZ12.4-60(120)	12mm	4mm	60mm	120mm
	CZ12.4-80(120)	12mm	4mm	80mm	120mm
	CZ12.4-100(160)	12mm	4mm	100mm	160mm
	CZ12.6-60(120)	12mm	6mm	60mm	120mm
	CZ12.6-80(120)	12mm	6mm	80mm	120mm
	CZ12.6-100(160)	12mm	6mm	100mm	160mm
	CZ12.6-120(180)	12mm	6mm	120mm	180mm
	CZ12.8-60(120)	12mm	8mm	60mm	120mm
	CZ12.8-80(120)	12mm	8mm	80mm	120mm
CZ12.8-100(160)	12mm	8mm	100mm	160mm	
CZ16.6-100(180)	16mm	6mm	100mm	180mm	
CZ16.6-120(180)	16mm	6mm	120mm	180mm	
CZ16.6-150(230)	16mm	6mm	150mm	230mm	
CZ16.8-100(180)	16mm	8mm	100mm	180mm	
CZ16.8-120(180)	16mm	8mm	120mm	180mm	
CZ16.8-150(230)	16mm	8mm	150mm	230mm	

Picture	Item No.	Shk	Tip	Cel	Ovl
 <p><b>Ball Head Type</b></p>	CQ6.3-7(60)	6mm	3mm	7mm	60mm
	CQ6.4-9(60)	6mm	4mm	9mm	60mm
	CQ6-12(60)	6mm	6mm	12mm	60mm
	CQ6-20(90)	6mm	6mm	20mm	90mm
	CQ8-12(60)	8mm	8mm	12mm	60mm
	CQ8.9-40(90)	8mm	9mm	40mm	90mm
	CQ8-20(90)	8mm	8mm	20mm	90mm
	CQ10-12(60)	10mm	10mm	12mm	60mm
	CQ10-20(90)	10mm	10mm	20mm	90mm
	CQ12-12(60)	12mm	12mm	12mm	60mm
	CQ10.11-12(120)	10mm	11mm	12mm	120mm
	CQ10.11-20(120)	10mm	11mm	20mm	120mm
	CQ10.11-30(120)	10mm	11mm	30mm	120mm
	CQ12.13-12(120)	12mm	13mm	12mm	120mm
	CQ12.13-20(120)	12mm	13mm	20mm	120mm
	CQ12.13-20(160)	12mm	13mm	20mm	160mm
	CQ12.13-40(90)	12mm	13mm	40mm	90mm
	CQ12.13-40(120)	12mm	13mm	40mm	120mm

Picture	Item No.	Shk	Tip	Cel	Ovl
<p><b>Flat Head Type</b></p>	CP4-10(60)	4mm	4mm	10mm	60mm
	CP6.3-7(60)	6mm	3mm	7mm	60mm
	CP6.4-9(60)	6mm	4mm	9mm	60mm
	CP6.5-8(60)	6mm	5mm	8mm	60mm
	CP6-6(60)	6mm	6mm	6mm	60mm
	CP6-12(60)	6mm	6mm	12mm	60mm
	CP6-20(90)	6mm	6mm	20mm	90mm
	CP8-6(60)	8mm	8mm	6mm	60mm
	CP8-12(60)	8mm	8mm	12mm	60mm
	CP8-20(90)	8mm	8mm	20mm	90mm
	CP8-30(90)	8mm	8mm	30mm	90mm
	CP10-12(60)	10mm	10mm	12mm	60mm
	CP10-20(90)	10mm	10mm	20mm	90mm
	CP10-30(90)	10mm	10mm	30mm	90mm
	CP12-12(60)	12mm	12mm	12mm	60mm
	CP12-20(90)	12mm	12mm	20mm	90mm
	CP10.11-12(120)	10mm	11mm	12mm	120mm
	CP10.11-20(120)	10mm	11mm	20mm	120mm
	CP10.11-30(120)	10mm	11mm	30mm	120mm
	CP12.13-12(120)	12mm	13mm	12mm	120mm
	CP12.13-12(160)	12mm	13mm	12mm	160mm
	CP12.13-20(120)	12mm	13mm	20mm	120mm
	CP12.13-20(160)	12mm	13mm	20mm	160mm
	CP12.13-30(120)	12mm	13mm	30mm	120mm
CP12.13-40(120)	12mm	13mm	40mm	120mm	
CP12.13-60(120)	12mm	13mm	60mm	120mm	
CP16.17-20(180)	16mm	17mm	20mm	180mm	
	CPC6-12(60)	6mm	6mm	12mm	60mm
	CPC8-12(60)	8mm	8mm	12mm	60mm
	CPC8.12-12(60)	8mm	12mm	12mm	60mm
	CPC10-12(60)	10mm	10mm	12mm	60mm



**Flat Head With Groove Type**

CPC12-12(60)	12mm	12mm	12mm	60mm
--------------	------	------	------	------

Picture	Item No.	Shk	Tip/Ced	Cel	Angle
<p><b>3D Mushroom-Shaped Head</b></p>	CM8-60	8mm	2/8mm	5mm	60°
	CM8-90	8mm	2/8mm	3mm	90°
	CM6.10-60	6mm	2/10mm	7mm	60°
	CM6.10-90	6mm	2/10mm	4mm	90°
	CM8.20-60	8mm	3/20mm	14mm	60°
	CM8.20-90	8mm	3/20mm	9mm	90°
	CM8.20-120	8mm	3/20mm	5mm	120°

Picture	Item No.	Shk	Tip/Ced	Cel	Angle
<p><b>For granite 3D Mushroom-Shaped Head</b></p>	SGM6.10-60	6mm	0.8/10mm	7.9mm	60°
	SGM6.10-90	6mm	0.8/10mm	4.6mm	90°
	SGM6.10-60(90)	6mm	0.8/10mm	7.9mm	60°
	SGM6.10-90(90)	6mm	0.8/10mm	4.6mm	90°

*Shank is made of high quality steel alloy and has good anti-break Performance!*





## F series sintered engraving tools

F series use the latest developed sintering formula, Compared with the original sintered tools, now our sintered tools have a qualitative improvement and show better wear resistance on granite.


Applications: Granite

Picture	Item No.	Shk	Tip	Cel	Ovl
<p><b>Flat Head Type</b></p>	FP4-10(65)	4mm	4mm	10mm	65mm
	FP6.3-9(60)	6mm	3mm	9mm	60mm
	FP6.4-9(60)	6mm	4mm	9mm	60mm
	FP6-15(70)	6mm	6mm	15mm	70mm
	FP6-15(90)	6mm	6mm	15mm	90mm
	FP6-20(75)	6mm	6mm	20mm	75mm
	FP6-20(90)	6mm	6mm	20mm	90mm
	FP8-20(75)	8mm	8mm	20mm	75mm
	FP8-20(90)	8mm	8mm	20mm	90mm
	FP8-20(120)	8mm	8mm	20mm	120mm
	FP10-20(75)	10mm	10mm	20mm	75mm
	FP10-20(90)	10mm	10mm	20mm	90mm
	FP10-20(100)	10mm	10mm	20mm	100mm
	FP10-20(120)	10mm	10mm	20mm	120mm
	FP10-20(150)	10mm	10mm	20mm	150mm
	FP10-25(80)	10mm	10mm	25mm	80mm
	FP10-30(85)	10mm	10mm	30mm	85mm
	FP10-30(120)	10mm	10mm	30mm	120mm
	FP10-30(150)	10mm	10mm	30mm	150mm
	FP12-20(75)	12mm	12mm	20mm	75mm
	FP12-20(90)	12mm	12mm	20mm	90mm
	FP12-20(100)	12mm	12mm	20mm	100mm
	FP12-20(120)	12mm	12mm	20mm	120mm
	FP12-30(85)	12mm	12mm	30mm	85mm
	FP12-30(110)	12mm	12mm	30mm	110mm
	FP12-30(140)	12mm	12mm	30mm	140mm
FP12-30(150)	12mm	12mm	30mm	150mm	
FP16-20(120)	16mm	16mm	20mm	120mm	
FP16-20(180)	16mm	16mm	20mm	180mm	

Picture	Item No.	Shk	Tip	Cel	Ovl
 <p><b>Ball Head Type</b></p>	FQ4-10(65)	4mm	4mm	10mm	65mm
	FQ6.3-9(60)	6mm	3mm	9mm	60mm
	FQ6.4-9(60)	6mm	4mm	9mm	60mm
	FQ6-15(70)	6mm	6mm	15mm	70mm
	FQ6-15(90)	6mm	6mm	15mm	90mm
	FQ6-20(90)	6mm	6mm	20mm	90mm
	FQ8-20(75)	8mm	8mm	20mm	75mm
	FQ10-20(75)	10mm	10mm	20mm	75mm
	FQ10-20(100)	10mm	10mm	20mm	100mm
	FQ10-20(120)	10mm	10mm	20mm	120mm
	FQ10-30(85)	10mm	10mm	30mm	85mm
	FQ12-20(120)	12mm	12mm	20mm	120mm

Picture	Item No.	Shk	Tip	Cel	Ovl
 <p><b>Flat Head With Groove</b></p>	FPC6-15(70)	6mm	6mm	15mm	70mm
	FPC8-15(70)	8mm	8mm	15mm	70mm
	FPC8-15(100)	8mm	8mm	15mm	100mm
	FPC10-15(70)	10mm	10mm	15mm	70mm
	FPC10-15(120)	10mm	10mm	15mm	120mm
	FPC10-20(75)	10mm	10mm	20mm	75mm
	FPC10-20(120)	10mm	10mm	20mm	120mm
	FPC10-30(120)	10mm	10mm	30mm	120mm
	FPC12-20(75)	12mm	12mm	20mm	75mm
	FPC12-20(120)	12mm	12mm	20mm	120mm
	FPC12-30(150)	12mm	12mm	30mm	150mm





Picture	Item No.	Shk	Tip	Cel	Ovl
 <p><b>Conical Head Type</b></p>	FZ6.2-20(75)	6mm	2mm	20mm	75mm
	FZ6.3P-15(70)	6mm	3mm	15mm	70mm
	FZ6.3-20(75)	6mm	3mm	20mm	75mm
	FZ6.3-20(90)	6mm	3mm	20mm	90mm
	FZ6.4P-20(75)	6mm	4mm	20mm	75mm
	FZ6.4P-20(90)	6mm	4mm	20mm	90mm
	FZ8.3-25(80)	8mm	3mm	25mm	80mm
	FZ8.4-25(80)	8mm	4mm	25mm	80mm
	FZ8.4P-25(80)	8mm	4mm	25mm	80mm
	FZ8.6-25(80)	8mm	6mm	25mm	80mm
	FZ8.6P-25(80)	8mm	6mm	25mm	80mm
	FZ10.3-30(85)	10mm	3mm	30mm	85mm
	FZ10.3-30(120)	10mm	3mm	30mm	120mm
	FZ10.4-30(85)	10mm	4mm	30mm	85mm
	FZ10.4P-30(85)	10mm	4mm	30mm	85mm
	FZ10.4-30(120)	10mm	4mm	30mm	120mm
	FZ10.6-30(85)	10mm	6mm	30mm	85mm
	FZ10.6P-30(85)	10mm	6mm	30mm	85mm
	FZ10.6-30(120)	10mm	6mm	30mm	120mm
	FZ10.8-30(85)	10mm	8mm	30mm	85mm
	FZ12.6-30(85)	12mm	6mm	30mm	85mm
	FZ12.6-30(105)	12mm	6mm	30mm	105mm
	FZ12.6-40(95)	12mm	6mm	40mm	95mm
	FZ12.8-30(85)	12mm	8mm	30mm	85mm
FZ12.6-50(105)	12mm	6mm	50mm	105mm	

The Leader of the stone engraving tools industry

**D series vacuum brazed engraving tools**


D series is our newest product for relief/3D relief on granite.

Applications: Granite, Marble



**Conical Head Type**

Picture	Item No.	Shk	Tip	Cel	Ovl
Conical Head Type	DSZ8.4-30(90)	8mm	4mm	30mm	90mm
	DSZ10.3-30(90)	10mm	3mm	30mm	90mm
	DSZ10.3-50(120)	10mm	3mm	50mm	120mm
	DSZ10.3-80(120)	10mm	3mm	80mm	120mm
	DSZ10.4-30(90)	10mm	4mm	30mm	90mm
	DSZ10.4-40(90)	10mm	4mm	40mm	90mm
	DSZ10.4-40(120)	10mm	4mm	40mm	120mm
	DSZ10.4-50(90)	10mm	4mm	50mm	90mm
	DSZ10.4-50(120)	10mm	4mm	50mm	120mm
	DSZ10.4-60(120)	10mm	4mm	60mm	120mm
	DSZ10.4-80(120)	10mm	4mm	80mm	120mm
	DSZ10.4-80(160)	10mm	4mm	80mm	160mm
	DSZ10.6-30(90)	10mm	6mm	30mm	90mm
	DSZ10.6-40(90)	10mm	6mm	40mm	90mm
	DSZ12.4-30(90)	12mm	4mm	30mm	90mm
	DSZ12.6-30(90)	12mm	6mm	30mm	90mm
	DSZ12.8-30(90)	12mm	8mm	30mm	90mm
	DSZ12.4-40(90)	12mm	4mm	40mm	90mm
	DSZ12.6-40(90)	12mm	6mm	40mm	90mm
	DSZ12.4-50(90)	12mm	4mm	50mm	90mm
	DSZ12.6-50(90)	12mm	6mm	50mm	90mm
	DSZ12.8-50(90)	12mm	8mm	50mm	90mm
	DSZ12.4-60(120)	12mm	4mm	60mm	120mm
	DSZ12.6-60(120)	12mm	6mm	60mm	120mm
	DSZ12.4-80(120)	12mm	4mm	80mm	120mm
	DSZ12.4-80(160)	12mm	4mm	80mm	160mm

	DSZ12.6-80(120)	12mm	6mm	80mm	120mm
	DSZ12.8-80(120)	12mm	8mm	80mm	120mm
	DSZ12.4-100(160)	12mm	4mm	100mm	160mm
	DSZ12.6-100(160)	12mm	6mm	100mm	160mm
	DSZ12.6-120(180)	12mm	6mm	120mm	180mm
	DSZ14.4-80(120)	14mm	4mm	80mm	120mm
	DSZ14.6-40(90)	14mm	6mm	40mm	90mm
	DSZ14.6-50(90)	14mm	6mm	50mm	90mm
	DSZ14.6-60(120)	14mm	6mm	60mm	120mm
	DSZ14.6-80(120)	14mm	6mm	80mm	120mm
	DSZ16.6-60(120)	16mm	6mm	60mm	120mm
	DSZ16.8-60(120)	16mm	8mm	60mm	120mm
	DSZ16.6-120(180)	16mm	6mm	120mm	180mm
	DSZ16.8-120(180)	16mm	8mm	120mm	180mm
 <p><b>Flat Head Type</b></p>	DP8-20(90)	8mm	8mm	20mm	90mm
	DP10-20(90)	10mm	10mm	20mm	90mm
	DP10-20(120)	10mm	10mm	20mm	120mm
	DP12-20(120)	12mm	12mm	20mm	120mm
	DP12.13-30(120)	12mm	13mm	30mm	120mm
	DP12.14-25(160)	12mm	14mm	25mm	160mm
	DP12.14-60(120)	12mm	14mm	60mm	120mm
	DP12.14-80(120)	12mm	14mm	80mm	120mm
	DP12.14-80(160)	12mm	14mm	80mm	160mm

The Leader of the stone engraving tools industry




### SG series vacuum brazed engraving tools


SG series is our newest product for relief, 3D relief, milling and cutting, and also for engraving letters.

Applications: Granite

Picture	Item No.	Shk	Tip	Cel	Ovl
<p>(Wear-resistant Type) Conical Head Type</p>	SGZ6.3-20(90)	6mm	3mm	20mm	90mm
	SGZ10.3-30(90)	10mm	3mm	30mm	90mm
	SGZ10.3-30(120)	10mm	3mm	30mm	120mm
	SGZ12.4-30(90)	12mm	4mm	30mm	90mm
	SGZ12.4-30(120)	12mm	4mm	30mm	120mm
	SGZ12.6-30(90)	12mm	6mm	30mm	90mm
	SGZ12.6-30(120)	12mm	6mm	30mm	120mm
	SGZ12.6-40(90)	12mm	6mm	40mm	90mm
	SGZ12.6-40(120)	12mm	6mm	40mm	120mm
	SGZ12.6-50(120)	12mm	6mm	50mm	120mm
	SGZ12.6-60(120)	12mm	6mm	60mm	120mm
	SGZ12.6-80(160)	12mm	6mm	80mm	160mm
	SGZ12.8-20(90)	12mm	8mm	20mm	90mm
	SGZ14.6-50(120)	14mm	6mm	50mm	120mm
	SGZ14.6-60(120)	14mm	6mm	60mm	120mm
	SGZ14.6-80(160)	14mm	6mm	80mm	160mm
	SGZ14.6-100(160)	14mm	6mm	100mm	160mm
	SGZ16.6-50(120)	16mm	6mm	50mm	120mm
	SGZ16.6-100(180)	16mm	6mm	100mm	180mm
	SGZ16.6-120(180)	16mm	6mm	120mm	180mm
SGZ16.6-150(230)	16mm	6mm	150mm	230mm	

**Sharp type is much more sharp, but Wear-resistant type has longer working time)**

Picture	Item No.	Shk	Tip	Cel	Ovl
 <p><b>(Sharp Type)</b> <b>Conical Head Type</b></p>	SGZ12.6-30(90)	12mm	6mm	30mm	90mm
	SGZ12.6-40(90)	12mm	6mm	40mm	90mm
	SGZ12.6-40(120)	12mm	6mm	40mm	120mm
	SGZ12.6-50(120)	12mm	6mm	50mm	120mm
	SGZ12.6-60(120)	12mm	6mm	60mm	120mm
	SGZ12.6-80(160)	12mm	6mm	80mm	160mm
	SGZ14.6-50(120)	14mm	6mm	50mm	120mm
	SGZ14.6-60(120)	14mm	6mm	60mm	120mm
	SGZ14.6-80(160)	14mm	6mm	80mm	160mm
	SGZ14.6-100(160)	14mm	6mm	100mm	160mm
	SGZ16.6-60(120)	16mm	6mm	60mm	120mm
	SGZ16.6-100(180)	16mm	6mm	100mm	180mm
	SGZ16.6-120(180)	16mm	6mm	120mm	180mm
	SGZ16.6-150(230)	16mm	6mm	150mm	230mm


Picture	Item No.	Shk	Tip	Cel	Ovl
 <p><b>Flat/Ball Head Type</b></p>	SGP10-30(90)	10mm	10mm	30mm	90mm
	SGP10-30(120)	10mm	10mm	30mm	120mm
	SGP12-35(90)	12mm	12mm	35mm	90mm
	SGP12-35(120)	12mm	12mm	35mm	120mm
	SGP12-35(160)	12mm	12mm	35mm	160mm
	SGQ12-35(90)	12mm	12mm	35mm	90mm

Precision weld, Firmly weld, keen edge!  
Reality is honesty!



The Leader of the stone engraving tools industry

### E series PCD engraving tools



Mainly used for engraving small words on bluestone, granite, characterized by sharp cutting, high hardness, good engraving effect, etc.


Applications: Bulestone, Granite

Picture	Item No.	Shk	Angle	Tip
	E45-0.2	6mm	45°	0.2mm
	E45-0.4	6mm	45°	0.4mm
	E60-0.2	6mm	60°	0.2mm
	E70-0.2	6mm	70°	0.2mm
	E70-0.4	6mm	70°	0.4mm
	E70-0.7	6mm	70°	0.7mm
	E70-1.0	6mm	70°	1.0mm
	E70-1.2	6mm	70°	1.2mm
	E70-1.5	6mm	70°	1.5mm
	E70-2.0	6mm	70°	2.0mm
	E90-0.2	6mm	90°	0.2mm
	E90-0.4	6mm	90°	0.4mm
	E90-0.7	6mm	90°	0.7mm
	E90-1.0	6mm	90°	1.0mm
	E90-1.2	6mm	90°	1.2mm
	E90-1.5	6mm	90°	1.5mm
	E90-2.0	6mm	90°	2.0mm
	E120-0.4	6mm	120°	0.4mm

Precision weld, Firmly weld, keen edge!  
Reality is honesty!




The Leader of the stone engraving tools industry



Picture	Item No.	Shk	Angle	Tip
	E70-0.4(10)	10mm	70°	0.4mm
	E90-0.4(10)	10mm	90°	0.4mm
	E105-0.4(10)	10mm	105°	0.4mm
	E120-0.4(10)	10mm	120°	0.4mm
	E70-0.2(10)	10mm	70°	0.2mm
	E90-0.2(10)	10mm	90°	0.2mm
	E105-0.2(10)	10mm	105°	0.2mm
	E70-0.7(10)	10mm	70°	0.7mm
	E90-0.7(10)	10mm	90°	0.7mm

The Leader of the stone engraving tools industry



**K series PCD engraving tools**




Six Edge PCD Engraving Bits, Maily used for engraving letters and lines.

Applications: Bulestone, Granite

Picture	Item No.	Shk	Angle	Tip
	K70-0.4	6mm	70°	0.4mm
	K70-0.6	6mm	70°	0.6mm
	K70-0.8	6mm	70°	0.8mm
	K90-0.4	6mm	90°	0.4mm
	K90-0.6	6mm	90°	0.6mm
	K90-0.8	6mm	90°	0.8mm



*The Leader of the stone engraving tools industry*



**NS series PCD engraving tools**



**Four Edge PCD Engraving Bits, Maily used for engraving letters and lines.**

**Applications: Bulestone, Granite**

Picture	Item No.	Shk	Angle	Tip
<p>A vertical diagram of an engraving bit. The top part shows the tip with a label 'TIP' and 'ANGLE' pointing to the cutting edges. The bottom part shows the shank with a label 'SHK' and a dimension line.</p>	NS70-0.4	6mm	70°	0.4mm
	NS70-0.6	6mm	70°	0.6mm
	NS90-0.4	6mm	90°	0.4mm
	NS90-0.6	6mm	90°	0.6mm

The Leader of the stone engraving tools industry



**G series engraving tools**



The best choice for beginners. Thickened structure, not easy to break. Maily used for engraving letters.

Applications: Granite

Picture	Item No.	Shk	Angle	Tip
	G90-0.4	6mm	90°	0.4mm
	G90-0.7	6mm	90°	0.7mm
	G90-1.0	6mm	90°	1.0mm
	G70-0.4	6mm	70°	0.4mm
	G70-0.7	6mm	70°	0.7mm
	G70-1.0	6mm	70°	1.0mm

## Nut and Collet

*The Leader of the stone engraving tools industry*



**Warm Tips:** We provide the high quality accessory for your convenience, all the accessory are full complied with national standards, please rest assured to buy!

Accessory	Item No.	Internal Diameter	Spindle power
Spindle Nut	ER20A	/	3KW
	ER25A	/	4.5KW,5.5KW
	ER25UM	/	4.5KW,5.5KW
	ER25UM Dynamic balance	/	4.5KW,5.5KW
	ER25UM Long	/	4.5KW,5.5KW
	ER32A	/	7.5KW
	ER32UM	/	7.5KW
	ER32UM Dynamic balance	/	7.5KW
Collet ER20	ER20-3	3mm	3KW
	ER20-3.175	3.175mm	3KW
	ER20-4	4mm	3KW
	ER20-6	6mm	3KW
	ER20-8	8mm	3KW
	ER20-9	9mm	3KW
	ER20-10	10mm	3KW
	ER20-12	12mm	3KW
Collet ER25	ER25-3	3mm	4.5KW,5.5KW
	ER25-3.175	3.175mm	4.5KW,5.5KW
	ER25-4	4mm	4.5KW,5.5KW
	ER25-5	5mm	4.5KW,5.5KW
	ER25-6	6mm	4.5KW,5.5KW
	ER25-8	8mm	4.5KW,5.5KW
	ER25-10	10mm	4.5KW,5.5KW
	ER25-12	12mm	4.5KW,5.5KW
Collet ER32	ER32-3.175	3.175mm	7.5KW
	ER32-5	5mm	7.5KW
	ER32-6	6mm	7.5KW
	ER32-8	8mm	7.5KW
	ER32-10	10mm	7.5KW
	ER32-12	12mm	7.5KW
	ER32-16	16mm	7.5KW
	ER32-20	20mm	7.5KW

## Anti-Mud Nut

The Leader of the stone engraving tools industry

### ER20A NUT

ER20A-6 ER20A-8 ER20A-10 ER20A-12



### ER25UM NUT

ER25UM-6 ER25UM-8 ER25UM-10 ER25UM-12 ER25UM-16



### ER32UM NUT

ER32UM-6 ER32UM-8 ER32UM-10 ER32UM-12 ER32UM-16



Accessory	Item No.	For Collet	Spindle power
ER20A Nut	ER20A-6	ER20-6	3KW
	ER20A-8	ER20-8	3KW
	ER20A-10	ER20-10	3KW
	ER20A-12	ER20-12	3KW
ER25UM Nut	ER25UM-6	ER25-6	4.5KW,5.5KW
	ER25UM-8	ER25-8	4.5KW,5.5KW
	ER25UM-10	ER25-10	4.5KW,5.5KW
	ER25UM-12	ER25-12	4.5KW,5.5KW
	ER25UM-16	ER25-16	4.5KW,5.5KW
ER32UM Nut	ER32UM-6	ER25-6	7.5KW
	ER32UM-8	ER25-8	7.5KW
	ER32UM-10	ER25-10	7.5KW
	ER32UM-12	ER25-12	7.5KW
	ER32UM-16	ER25-16	7.5KW